

MATERIAL SUPLEMENTARIO

Tabla 1. Estrategia de búsqueda y términos de búsqueda.

F	Capítulo	Términos de búsqueda
F00-F09	Trastornos mentales orgánicos, incluidos los trastornos sintomáticos*	<p>F05 Delirium, not induced by alcohol and other psychoactive substances <i>“Delirium, not induced by alcohol and other psychoactive substances” OR “delirium”</i></p> <p>F06 Other mental disorders due to brain damage and dysfunction and to physical disease</p> <p><i>“Organic hallucinosis” OR “Organic catatonic disorder” OR “Organic delusional” OR “Organic mood” OR “Organic anxiety disorder” OR “Organic dissociate disorder” OR “Organic emotionally disorder” OR “Mild cognitive disorder”</i></p> <p>F07 Personality and behavioural disorder due to brain disease, damage and dysfunction <i>“Organic personality disorder”</i></p>
F10-F19	Trastornos mentales y de comportamiento debidos al consumo de psicotrópicos	<p>F10 Mental and behavioural disorders due to use of alcohol <i>“Mental and behavioural disorders due to use of alcohol” OR “Alcohol Abuse” OR “Alcohol consumption” OR “Alcohol use” OR “Alcohol dependence” OR “binge drinking”</i></p> <p>F11 Mental and behavioural disorders due to use of opioids <i>“Mental and behavioural disorders due to use of opioids” OR “opioids” OR “opioids use”</i></p> <p>F12 Mental and behavioural disorders due to use of cannabinoids <i>“Mental and behavioural disorders due to use of cannabinoids” OR “marijuana” OR “marijuana use” OR “marijuana dependence”</i></p> <p>F13 Mental and behavioural disorders due to use of sedatives or hypnotics <i>“Mental and behavioural disorders due to use of sedatives or hypnotics” OR “benzodiazepines” OR clonazepam OR “clonazepam use” OR “clonazepam abuse” OR “clonazepam dependence” OR diazepam OR “diazepam use” OR “diazepam abuse” OR “diazepam dependence”</i></p> <p>F14 Mental and behavioural disorders due to use of cocaine <i>“Mental and behavioural disorders due to use of cocaine” OR cocaine OR “Cocaine dependence”</i></p>

Citar como: Valle R, Rivera-Encinas MT, Stucchi-Portocarrero S. Producción, impacto y colaboración en investigaciones peruanas en psiquiatría y salud mental. Acta Med Peru. 2020;37(3):285-93. doi: <https://doi.org/10.35663/amp.2020.372.1072>

		<p>F15 Mental and behavioural disorders due to use of other stimulants, including caffeine</p> <p><i>"Mental and behavioural disorders due to use of other stimulants, including Caffeine" OR "caffeine use" OR "caffeine abuse"</i></p> <p>F16 Mental and behavioural disorders due to use of hallucinogens</p> <p><i>"Mental and behavioural disorders due to use of hallucinogens" OR MDMA</i></p> <p>F17 Mental and behavioural disorders due to use of tobacco</p> <p><i>"Mental and behavioural disorders due to use of tobacco" OR "tobacco" OR "tobacco dependence"</i></p> <p>F18 Mental and behavioural disorders due to use of volatile solvents</p> <p><i>"Mental and behavioural disorders due to use of volatile solvents" OR "volatile solvents"</i></p> <p>F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances</p> <p><i>"Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances" OR "psychoactive substance"</i></p>
F20-F29	Esquizofrenia, trastornos esquizotípicos y trastornos delirantes	<p>F20-F29 Schizophrenia, schizotypal and delusional disorders</p> <p><i>Schizophrenia OR "Schizotypal disorder" OR "Persistent delusional disorders" OR "Acute and transient psychotic disorders" OR "Induced delusional disorder" OR "Schizoaffective disorders" OR psychosis OR "psychotic disorder"</i></p>
F30-F39	Trastornos del humor (afectivos)	<p>F31 Bipolar affective disorder</p> <p><i>"Mood disorders" OR "affective disorders" OR "Manic episode" OR "Bipolar affective disorder" OR "Bipolar disorder"</i></p> <p>F32 Depressive episode</p> <p><i>"Depressive episode" OR "depressive symptomatology" OR "major depressive disorder"</i></p> <p>F33 Recurrent depressive disorder</p> <p><i>"Recurrent depressive disorder"</i></p> <p>F34 Persistent mood [affective] disorders</p> <p><i>"Persistent mood disorders" OR "Persistent affective disorders" OR Cyclothymia OR Dysthymia</i></p>

Citar como: Valle R, Rivera-Encinas MT, Stucchi-Portocarrero S. Producción, impacto y colaboración en investigaciones peruanas en psiquiatría y salud mental. Acta Med Peru. 2020;37(3):285-93. doi: <https://doi.org/10.35663/amp.2020.372.1072>

F40-F49	Trastornos neuróticos, trastornos relacionados con el estrés y trastornos somatomorfos	<p>F40 Phobic anxiety disorders <i>"Phobic anxiety disorders" OR "Agoraphobia" OR "Social phobias" OR phobias</i></p> <p>F41 Other anxiety disorders <i>"Panic disorder" OR "Generalized anxiety disorder" OR "Mixed anxiety and depressive disorder"</i></p> <p>F42 Obsessive - compulsive disorder <i>"Obsessive-compulsive disorder" OR "Obsessive compulsive disorder" OR OCD</i></p> <p>F43 Reaction to severe stress, and adjustment disorders <i>"Reaction to severe stress, and adjustment disorders" OR "Acute stress reaction" OR "Post-traumatic stress disorder" OR "Adjustment disorder" OR PTSD</i></p> <p>F44 Dissociative [conversion] disorders <i>"Dissociative disorders" OR "Conversion disorders" OR "Dissociative amnesia" OR "Dissociative fugue" OR "Dissociative stupor" OR "Trance and possession disorders" OR "Dissociative motor disorders" OR "Dissociative convulsions" OR "Dissociative anaesthesia and sensory loss" OR "Mixed dissociative disorders" OR "Mixed conversion disorders"</i></p> <p>F45 Somatoform disorders <i>"Somatization disorder" OR "Undifferentiated somatoform disorder" OR "Hypochondriacal disorder" OR "Somatoform autonomic dysfunction" OR "Persistent somatoform pain disorder"</i></p> <p>F48 Other neurotic disorders <i>"Neurasthenia" OR Depersonalization OR "Depersonalization syndrome" OR derealization OR "derealization syndrome" OR "Other specified neurotic disorders" OR "Neurotic disorder, unspecified"</i></p>
---------	----------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

F50-F59	Síndromes del comportamiento asociados con alteraciones fisiológicas y factores físicos	<p>F50 Eating disorders <i>"Eating disorders" OR "Anorexia nervosa" OR "Bulimia nervosa" OR "Overeating associated with other psychological disturbances"</i></p> <p>F51 Nonorganic sleep disorders <i>"Nonorganic insomnia" OR "Nonorganic hypersomnia" OR "Nonorganic disorder of the sleep-wake schedule" OR "Sleepwalking" OR "Sleep terrors" OR "Other nonorganic sleep disorders"</i></p> <p>F52 Sexual dysfunction, not caused by organic disorder or disease <i>"Sexual dysfunction" OR "Lack or loss of sexual desire" OR "Sexual aversion and lack of sexual enjoyment" OR "Sexual aversion" OR "Lack of sexual enjoyment" OR "Failure of genital response" OR "Orgasmic dysfunction" OR "Premature ejaculation" OR "Nonorganic vaginismus" OR "Nonorganic dyspareunia" OR "Excessive sexual drive" OR "Other sexual dysfunction, not caused by organic disorders"</i></p> <p>F53 Mental and behavioural disorders associated with the puerperium, not elsewhere classified <i>"mental and behavioural disorders associated with the puerperium"</i></p>
F60-F69	Trastornos de la personalidad y del comportamiento en adultos	<p>F60 Specific personality disorders <i>"Paranoid personality disorder" OR "Schizoid personality disorder" OR "Dissocial personality disorder" OR "Emotionally unstable personality disorder" OR "Histrionic personality disorder" OR "Anankastic personality disorder" OR "Anxious personality disorder" OR "avoidant personality disorder" OR "Dependent personality disorder" OR "Personality disorder"</i></p> <p>F63 Habit and impulse disorders <i>"Pathological gambling" OR cyberadiction OR "Pathological fire-setting" OR "pyromania" OR "Pathological stealing" OR "kleptomania" OR "Trichotillomania"</i></p> <p>F64 Gender identity disorders <i>Transsexualism OR "Dual-role transvestism" OR "Gender identity disorder of childhood" OR "Gender identity disorder"</i></p> <p>F65 Disorders of sexual preference <i>Fetishism OR "Fetishistic transvestism" OR Exhibitionism OR Voyeurism OR Paedophilia</i></p> <p>F66 Psychological and behavioural disorders associated with sexual development and orientation <i>"Sexual maturation disorder" OR "Egodystonic sexual orientation" OR "Sexual relationship disorder" OR "Other psychosexual development disorders"</i></p>

Citar como: Valle R, Rivera-Encinas MT, Stucchi-Portocarrero S. Producción, impacto y colaboración en investigaciones peruanas en psiquiatría y salud mental. Acta Med Peru. 2020;37(3):285-93. doi: <https://doi.org/10.35663/amp.2020.372.1072>

F70-F79	Retraso mental	F70 Mild mental retardation “Mental retardation”
F80-F89	Trastornos del desarrollo psicológico	F84 Pervasive developmental disorders “Childhood autism” OR “Atypical autism” OR “Rett's síndrome” OR “Asperger's síndrome” OR “pervasive developmental disorders” OR autism
F90-F99	Trastornos emocionales y del comportamiento que aparecen habitualmente en la niñez o en la adolescencia	F90 Hyperkinetic disorders “Disturbance of activity and attention” OR “Hyperkinetic conduct disorder” OR “Other hyperkinetic disorders” OR “Hyperkinetic disorder, unspecified” OR “Attention deficit hyperactivity disorder” OR “ADHD” F91 Conduct disorders “Conduct disorder confined to the family context” OR “Unsocialized conduct disorder” OR “Socialized conduct disorder” OR “Oppositional defiant disorder” OR “Conduct disorder” F93 Emotional disorders with onset specific to childhood “Separation anxiety disorder of childhood” OR “Phobic anxiety disorder of childhood” OR “Social anxiety disorder of childhood” OR “Sibling rivalry disorder” OR “childhood emotional disorders” F94 Disorders of social functioning with onset specific to childhood and adolescence “Elective mutism” OR “Reactive attachment disorder of childhood” OR “Disinhibited attachment disorder of childhood” OR “Childhood disorder of social functioning” F95 Tic disorders “Transient tic disorder” OR “Chronic motor or vocal tic disorder” OR “Combined vocal and multiple motor tic disorder” OR “Tourette's síndrome” F98 Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence “Nonorganic enuresis” OR “Nonorganic encopresis” OR “Feeding disorder of infancy and childhood” OR “Pica of infancy and childhood” OR “Stereotyped movement disorders” OR Stuttering OR Clutterin
	Trastornos mentales (estudiados de forma general)	Mental Disorders “Mental disorders” OR “International Classification of Mental Disorders” OR ICD OR DSM OR “Diagnostic Statistical Manual”

Citar como: Valle R, Rivera-Encinas MT, Stucchi-Portocarrero S. Producción, impacto y colaboración en investigaciones peruanas en psiquiatría y salud mental. Acta Med Peru. 2020;37(3):285-93. doi: <https://doi.org/10.35663/amp.2020.372.1072>

	Salud Mental	<p>Suicide <i>“Suicide” OR “Suicide attempt”</i></p> <p>Violence <i>“physical violence” OR “sexual violence” OR psychological violence” OR “sexual violence”</i></p> <p>Sexual assault <i>“sexual assault” OR “sexual violence” OR “sexual harassment” OR Rape.</i></p>
--	--------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

*Las demencias no fueron evaluadas dentro de las estrategias de búsqueda por la consideración que los casos de demencia son generalmente y primariamente vistos por la especialidad de neurología.

Tabla 2. Medidas de centralidad de las 20 instituciones que más han participado en las investigaciones peruanas en psiquiatría y salud mental, 1992-2018.

Orden	Institución	País	n	%	Grado	Intermediación (x 100)*	Proximidad (x 100)*
1	Universidad Peruana Cayetano Heredia	Perú	184	58,2	389	12,3	71,5
2	Harvard University	Estados Unidos	67	21,2	248	1,9	61,4
3	IN de Salud Perú	Perú	43	13,6	141	1,0	55,5
4	IN de Salud Mental "H. Delgado – H. Noguchi"	Perú	35	11,1	116	0,9	54,2
5	Universidad de Ciencias Aplicadas	Perú	34	10,8	53	0,6	51,1
6	CIB en Red Epidemiología y Salud Pública	España	32	10,1	111	0,1	53,2
7	IN de Psiquiatría Ramón de la Fuente Muñiz	México	31	9,8	138	0,2	54,8
8	National School of Public Health	Rumanía	27	8,5	237	0,4	60,6
9	Istituto di Ricovero e Cura a Carattere Scientifico	Italia	26	8,2	126	0,1	53,9
10	Universidade Nova de Lisboa	Portugal	26	8,2	232	1,4	60,7
11	Universidad Colegio Mayor de Cundinamarca	Colombia	23	7,3	222	1,3	60,0
12	Katholieke Universiteit Leuven	Bélgica	23	7,3	228	0,5	60,0
13	Balamand University	Líbano	22	7,0	201	0,3	58,2
14	ID Research, Advocacy and Applied Care	Líbano	22	7,0	99	0,1	52,6
15	King's College London	Reino Unido	22	7,0	162	0,5	56,1
16	Universidad Nacional Mayor de San Marcos	Perú	22	7,0	44	0,2	50,9
17	Chinese University of Hong Kong	Hong Kong	21	6,6	295	0,6	64,0
18	Mayo Clinic	Estados Unidos	21	6,6	82	0,2	51,8
19	Shenzhen Kangning Hospital	China	20	6,3	142	0,3	54,9
20	University of Otago	Nueva Zelanda	19	6,0	224	0,3	59,8

CIB: Centro de Investigación Biomédica, IN: Instituto Nacional, ID: Institute for Development.

* Los valores han sido multiplicados por 100 para una mejor interpretación de los indicadores.

Tabla 3. Medidas de centralidad de los 20 países que más han participado en las investigaciones peruanas en psiquiatría y salud mental, 1992-2018.

Orden	País	n	%	Grado	Intermediación (x 100)*	Proximidad (x 100)*
1	Perú	316	100.0	75	20,4	100,0
2	Estados Unidos	149	47.2	65	6,9	88,2
3	Reino Unido	60	19.0	53	3,9	77,3
4	Colombia	55	17.4	48	1,6	73,5
5	Brasil	51	16.1	52	2,9	76,5
6	México	49	15.5	44	1,2	70,8
7	China	44	13.9	58	2,8	81,5
8	España	44	13.9	49	1,4	74,3
9	Italia	35	11.1	56	2,5	79,8
10	Países Bajos	33	10.4	44	0,7	70,8
11	Rumanía	30	9.5	41	0,5	68,8
12	Portugal	29	9.2	47	1,1	72,8
13	Francia	28	8.9	50	1,9	75,0
14	Argentina	27	8.5	43	1,2	70,1
15	Bélgica	27	8.5	49	1,2	74,3
16	Nueva Zelanda	26	8.2	35	0,5	65,2
17	Nigeria	24	7.6	38	0,6	67,0
18	Australia	23	7.3	54	2,4	78,1
19	Líbano	23	7.3	32	0,1	63,6
20	Sudáfrica	22	7.0	42	1,2	69,4

* Los valores han sido multiplicados por 100 para una mejor interpretación de los indicadores.